

References

Fast-track / ERAS Nursing Care

Nursing req.

Bernard H, Foss M. The impact of the enhanced recovery after surgery (ERAS) programme on community nursing. *Br J Community Nurs.* 2014;19:186-8.

Burch J. What does enhanced recovery mean for the community nurse? *British journal of community Nursing* 2009;14:490-494.

Jakobsen DH, Sonne E, Kehlet H. Nursing Workload and fast track colonic surgery. *J Adv Periop Care* 2006;4:177-181.

Foss M. Enhanced recovery after surgery and implications for nurse education. *Nurs Stand.* 2011;25:35-9.

Foss M, Bernard H. Enhanced recovery after surgery: Implications for nurses. *Br J Nurs* 2012;7:221-3.

Richardson G, Whiteley I. A comparison of nurses' perceptions of elective laparoscopic or elective open colorectal resections. *International Journal of Nursing Practice* 2011;17:621-627.

Sjetne IS, Krogstad U, Ødegård S, Engh ME. Improving quality by introducing enhanced recovery after surgery in gynaecological department: consequences for ward nursing practice. *Qual Saf Health Care.* 2009;18:236-40.

Convalescence / Fatigue / Rehabilitation / Mobilisation

Burch J. Comparing experiences of ERP: UK and Sweden. *Gastrointestinal Nursing* 2009;7:43-47.

Burch J, Wright S and Kennedy R. Enhanced recovery pathway in colorectal surgery 1: background and principles. *Nursing Times* 2009;105:23-25.

Burch J, White I, Tudyka V, Kennedy RH and Jenkins JT. Prospective determination of basic ADL achievement in ERAS colorectal patients: a suitable indicator for safe discharge? *Br J Surg* 2012;99:173.

Burch J. Enhanced recovery and nurse-led telephone follow-up post surgery. *Br J Nurs* 2012:24-29.

Burch J. Enhanced recovery for patients following colorectal surgery. *Nursing Standard* 2012; 27:37-43.

Fiore JF, Bialocerkowski A, Browning L, Faragher I, Denehy L. Criteria to determine readiness for hospital discharge following colorectal surgery: An international consensus using the Delphi Technique. *Dis Colon Rectum* 2012;55:416-423.

Hjort Jakobsen D, Andersen J. Rekonvalescens og sygemelding efter kolonresektion. *Ugeskr Læger* 2009;171:2907-2970.

Jakobsen DH, Sonne E, Andreassen J, Kehlet H. Convalescence after colonic surgery with fast-track vs conventional care. *Colorectal Dis* 2006;8:683-87.

Jakobsson J, Idvall, Wann-Hansson. Patient-reported recovery after enhanced colorectal cancer surgery: a longitudinal six-month follow-up study. *Int J Colorectal Dis* 2014;29:989-998.

Krogsgaard M, Dreyer P, Egerod I, Jarden M. Post-discharge symptoms following fast-track colonic cancer surgery: a phenomenological hermeneutic study. *SpringerPlus* 2014;3:276-84.

Lin JH, Whelan RL, Sakellarios NE, Cekic V, Forde K, Bank J, Feingold DL. Prospective study of ambulation after open and laparoscopic colorectal resection. *Surg Innova* 2009;16:16-20.

Moriello C, Mayo NE, Feldman L, Carli F. Validating the six-minute walk test as a measure of recovery after elective colon resection surgery. *Arch Phys Med Rehabil* 2008;89:1083-1089.

Norlyk A, Harder I. Recovering at home: participating in a fast-track colon cancer surgery programme. *Nursing Inquiry* 2011;18:165-173.

Paddison J, Booth R, Cameron L, Robinson E, Frizelle F, Hill A. Fatigue after colorectal surgery and its relationship to patient expectations. *J Surg Res* 2009;151:145-152.

Tudyka V, White I, Burch J, Kennedy RH and Jenkins JT. Determining pre-operative predictors of prolonged hospital stay and adverse events in Enhanced Recovery. *Colorec Dis* 2012;14:12-40.

Zargar-Shoshtari, Paddison JS, Booth RJ, Hill A. A prospective study on the influence of a fast-track program on postoperative fatigue and functional recovery after major colonic surgery. *J Surg Res* 2009;154:330-335.

Zargar-Shoshtari K, Hill AG. Postoperative fatigue: A review. *World J Surg* 2009;33:738-745.

Wennström B, Stomberg MW, Modin M, Skullman S. Patient symptoms after colonic surgery in the era of enhanced recovery – a long-term follow-up. *J Clin Nurs* 2010;19:666-72.

White I, Tudyka, Burch J, Kennedy RH, Jenkins JT. Readmission prediction in colorectal surgery patients within an Enhanced Recovery programme. *Colorec Dis* 2012;14:12-40.

Information

Burch J and Taylor C. Patients' need for nursing telephone follow-up after enhanced recovery. *Gastrointestinal Nursing* 2012;10:51-58.

Crowe L, Chang A, Fraser J et al. Systematic review of the effectiveness of nursing interventions in reducing or relieving post-operative pain. *Int J Evid Based Healthc* 2008;6:396-430.

Henderson A, Zernike W. A study of the impact of discharge information for surgical patients. *J Advanced Nurs* 2001;35:435-441.

Hjort Jakobsen D, Sonne E, Kehlet H. Velinformerede patienter i accelererede forløb. *Sygeplejersken* 2004;19:36-38.

Lithner M, Klefsgard R, Johansson J, Andersson E. The significance of information after discharge for colorectal cancer surgery – a quality study. *BMC* 2015;14:36-44.

McShane C, Honeysett A. What is the preadmission role in preparation of patients for fast track surgery? *Australian Nursing J* 2013;20:37-39.

Rudolfsson J. The nurse has time for me: the perioperative dialogue from the perspective of patients. *Advan Periop Care* 2003;1:77-84

Sjöstedt L, Hellström R, Stromberg MW. Patients' need for information prior to colonic surgery. *Gastroenterol Nurs* 2011;34:390-7.

Smith F, Carlsson E, Kokkinakis D, Forsberg M, Kodeda K, Sawatzky R, Friberg F, Öhlén J. Readability, suitability and comprehensibility in patient education materials for Swedish patients with colorectal cancer undergoing elective surgery: a mixed method design. *Patient Educ Couns*. 2014;94:202-9.

White J, Dixon S. Nurse led patient education programme for patients undergoing a lung resection for primary lung cancer. *J Thorac Dis* 2015;7:131-137.

Williams B. Supporting self-care of patients following abdominal surgery. *J Clin Nurs* 2007;17:584-592.

Patient satisfaction / relatives

Beaver K, Wilson C, Procter D, Sheridan J, Towers G, Heath J, Susnerwala s, Luker K. Colorectal cancer follow-up: Patient satisfaction and amenability to telephone after care. *Eur J of Onc Nurs* 2011;15:23-30.

Bernard H, Foss M. Patient experiences of enhanced recovery after surgery (ERAS). *Br J Nurs*. 2014;12:100-2,104-6.

Bertelsen CB. Relatives in Older Patients' Fast-Treatment programmes during Hip or Knee replacement: a Grounded Theory Study. PhD Dissertation. Faculty of Health Sciences, Aarhus University, 2013.

Bertelsen CB, Kristensson J. Spouses' involvement in older patients' fast-track programmes during total hip replacement using case management intervention. A study protocol of the SICAM-trial. *J Adv Nurs*. 2015;71:1169-80.

Cox K, Wilson E. Follow-up for people with cancer: nurse-led services and telephone interventions. *J Adv Nurs* 2003;43:51-61.

Hommel A, Kock ML, Persson J, Werntoft E. The Patient's view of nursing care after hip fracture. [ISRN Nurs](#). 2012;2012:863291. doi: 10.5402/2012/863291. Epub 2012 Jul 3.

Jones EL, Wainwright TW, Foster JD, Smith JR, Middleton RG, Francis NK. A systematic review of patient reported outcomes and patient experience in enhanced recovery after orthopaedic surgery. *Ann R Coll Surg Engl* 2014;96:89-94.

Khan S, Wilson T, Ahmed J, Owais, MacFie J. Quality of life and the patient satisfaction with enhanced recovery protocols. *Colorectal Dis* 2010;12:1175-82.

King PM, Blazeby JM, Ewings P, Longman RJ, Kipling RM, Franks PJ, Sheffield JP, Evans LB, Soulsby M, Bulley SH, Kennedy RH. The influence of an enhanced recovery programme on clinical outcomes, costs and quality of life after surgery for colorectal cancer. *Colorectal Dis* 2006;8:605-13.

Kræftens Bekæmpelse. Kræftpatienters oplevelser med sundhedsvæsenet gennem udredning og behandling. 2011 www.cancer.dk/rapporter

McCaughan E, Prue G, Parahoo K, McIlpatrick S, McKenna H. Exploring and comparing the experience and coping behaviour of men and women with colorectal cancer at diagnosis and during surgery. *JAN* 2011;67:1591-1600.

McCaughan E, Parahoo K, Prue G. Comparing cancer experiences among people with colorectal cancer: a qualitative study. *JAN* 2011;67:2686-95.

Norlyk A, Harder I. After colonic surgery: The lived experience of participating in a fast-track programme. *Int J Qual Stud Health Well-being* 2009;4:170-80.

Norlyk A. Patienters oplevelse af deltagelse i et accelereret operationsforløb efter en kolonoperation. En fænomenologisk undersøgelse. *Klinisk Sygepleje* 2010;24:36-46.

Norlyk A, Harder I. Recovering at home: participating in a fast-track colon cancer surgery programme. *Nursing Inquiry* 2011;18:165-173.

Norlyk A, Martinsen B. The extended arm of health professionals? Relatives' experiences of patient's recovery in a fast-track programme. *J Adv Nurs*. 2013;69:1737-46.

Philip S, Carter J, Pather S, Barnett C, D'Abrew N, White K. Patient's satisfaction with fast-track surgery in gynaecological oncology. *Eur J Cancer Care* 2014;24:567-73.

Philis S, Carter J, Barnett C, D'Abrew N, Pather S, White K. Patients' perspectives of fast-track surgery and the role of the fast-track clinical nurse consultant in gynecological oncology. *Holist Nurs Pract*. 2015;29:158-66.

Taylor C and Burch J. Feedback on an enhanced recovery programme for colorectal surgery. *British Journal of Nursing* 2011;20:286-290.

Vilstrup DL, Mortensen CW, Rud K, Egerod I. Patienters oplevelse af henholdsvis konventionelle og accelererede kolonkirurgiske behandlingsforløb – en kvalitativ undersøgelse på baggrund af fokusgruppeinterviews. *Klinisk Sygepleje* 2009;23:56-67.

Implementation

Burch J. Promoting enhanced recovery after colorectal surgery. *Br J Nursing* 2013;22:4-9.

Hjort Jakobsen D, Schmidt Haas L. Bedre patientforløb efter operation for aortaaneurisme. *Sygeplejersken* 2008;9:63-69.

Hjort Jakobsen D, Rud K, Kehlet H, Egerod I. Standardising fast-track surgical nursing care in Denmark. *Br J Nurs* 2014;23:471-476.

Kahokehr A, Sammour T, Zargar-Shoshtari K, Thompson L, Hill A. Implementation of ERAS and how to overcome the barriers. *Intern J Surg* 2009;7:16-19.

Kehlet H, Büchler MW, Beart RW, Billingham RP, Williamson R. Care after colonic operation – is it evidence-based? Results from a multinational survey in Europe and the United States. *J Am Coll Surg* 2006;202:45-54.

Kehlet H, Wilmore DW. Surgical care – how can new evidence be applied to clinical practice? *Colorectal Dis* 2010;12:2-4.

Lassen K, Hannemann P, Ljungqvist O. Patterns in current perioperative practice: survey of colorectal surgeons in five northern European countries. *BMJ* 2005;330:1420-21.

Lyon A, Solomon MJ, Harrison JD. A qualitative study assessing the barriers to implementation of enhanced recovery after surgery. *World J Surg* 2014;38:1374-80.

Maessen J, Dejong CHC, Hausel J, Nygren J, Lassen K, Andersen J, Kessels AGH, Revhaug A, Kehlet H, Ljungqvist O, Fearon KCH, Meyenfeldt MF. A protocol is not enough to implement an enhanced recovery programme for colorectal resection. *Br J Surg* 2007;94:224-231.

Polle SW, Wind J, Fuhring JW, Hofland J, Gouma DJ, Bemelman WA. Implementation of a fast-track perioperative care program: What are the difficulties? *Dig Surg* 2007;24:441-449.

Sammour T, Zagar-Shoshtari K, Bhat A, Kahokehr A, Hill AG. A programme of enhanced recovery after surgery (ERAS) is a cost-effective intervention in elective colonic surgery. *N Z Med J* 2010;123:61-70.

Sanares-Carreón D, Comeau O, Heliker D, Marshall D, Machner C, Bell L, Brumfield V, Kwarciany G, Sandridge J. An educational pathway to fast track evidence-based practice at the bedside. *J Nurses Prof Dev.* 2015;31:1-6.

Walter CJ, Smith A, Guillou P. Perceptions of the application of fast-track surgery principles by general surgeons. *Ann R Coll Surg Engl* 2006;88:191-195.

Wilson L. Fast Track Surgery – Should all components of fast track surgery be introduced into the Australian hospital system or certain aspects? *J Stomal Therapy Australia* 2010;30:15-17.

Stoma patients

Burch J. Enhanced recovery and how this related to stoma care practice. *Journal of Wound Technology* 2012;18:44-47.

Burch J. Stoma care and enhanced recovery. *Gastrointestinal Nursing* 2012;1097:26-32.

Burch J, Slater R. Enhanced recovery after surgery: benefits for the stoma care patient. *Br J Nurs* 2012;21:16-21.

Burch J. Enhanced recovery, stomas and the community nurse. *Br J Community Nurs.* 2013;18:218-220.